



## Vertical and horizontal freezers MIURA



Epta S.p.A. participates in the ECC programme for:  
 Refrigerated display cabinets (RDC); Check ongoing validity  
 of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com)  
 or using: [www.certiflash.com](http://www.certiflash.com)

### Product categories



### Technical features







MIURA									
Length mm			1880	2500	3750	MT2030	MT2240	MT2250	MT2450
MIURA	H2000	LG300	•	•	•	•	•	•	•
		HG400	•	•	•	•	•	•	•
	H2200	LG300	•	•	•	•	•	•	•
		HG400	•	•	•	•	•	•	•
Display area m <sup>2</sup>	H2000	LG300	1.71	2.29	3.44	1.71	1.71	1.80	1.80
		HG400	1.83	2.45	3.68	1.83	1.83	1.82	1.82
	H2200	LG300	1.94	2.60	3.91	1.94	1.94	1.95	1.95
		HG400	2.06	2.76	4.15	2.06	2.06	1.97	1.97
Loading area m <sup>2</sup>	H2000	LG300	2.22	2.94	4.41	2.22	2.22	2.82	2.82
		HG400							
	H2200	LG300	2.22	2.94	4.41	2.22	2.22	2.82	2.82
		HG400							
Net storage capacity dm <sup>3</sup>	H2000	LG300	1193.00	1581.00	2372.00	1193.00	1193.00	1075.00	1075.00
		HG400							
	H2200	LG300	1344.00	1781.00	2672.00	1344.00	1344.00	1155.00	1155.00
		HG400							
End thickness mm	51.00 (+ 104 Bumper rail)								




MIURA H2000 - LG300




MIURA H2200 - LG300



MIURA H2000 - HG400



MIURA H2200 - HG400





## Legend

 Meat	 Chicken	 Fish	 Pre-packed fish
 Delicatessen	 Cheese	 Dairy products	 Gastronomy
 Pastries	 Pre-packed fruit and vegetables	 Fruits and Vegetables	 Sandwiches
 Drinks	 Pizza	 Bread	 Frozen food and ice cream
 Off-cycle defrost	 Electric defrost	 Hot-gas defrosting system	 Manual defrost
 Ventilated	 Static	 Incorporated condensing unit	 Remote condensing unit
 Bagnomaria	 Ceramic glass	 Ice	 VSD Inverter technology
 LED lighting	 Zero C doors	 High efficiency fans	 R290 Propane refrigerant gas (R290)
 R134a R-134a - 400V/3PH/50Hz	 R404A R404A - 400V/3PH/50Hz	 R744 R744 - 400V/PH/50Hz	 Compressor hermetic reciprocating
 Hermetic scroll compressor	 Semi-hermetic reciprocating compressor	 VSD Inverter technology	 External installation
 Machinery room	 Soundproof housing	 On board condenser	 Remote condenser
 DUAL Medium & Low temperature	 Technokleen	 Thin Tech	